150

ALLENGT TO:			
		Birth Date:	
Asthma □Yes* □	No *High Risk for severe reaction		
Signs of a	n allergic reaction	7	
Systems:	Symptoms:		
MOUTH	itching & swelling of the lips, tongue, or mouth		
THROAT SKIN		itching and/or a sense of tightness in the throat, hoarseness and hacking cough	
GUT	hives, itchy rash, and/or swelling about the face or extremities nausea, abdominal cramps, vomiting, and/or diarrhea		
LUNG	shortness of breath, repetitive coughing, and/or v		
HEART	"thready" pulse, "passing-out"	9	
The severity	of symptoms can quickly change. All the above symptor	ns can potentially be life-threatening.	
	medication/dose	e/route	
Then call: If condition	medication/doso Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION	for Severe Reaction below:	
Then call: If condition ACTION FOR SEVE If symptom	medication/doso Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are:	for Severe Reaction below:	
Then call: If condition ACTION FOR SEVE If symptom	medication/doso Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION	for Severe Reaction below:	
Then call: If condition ACTION FOR SEVE If symptom Administer	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route	for Severe Reaction below:	
Then call: If condition ACTION FOR SEVE If symptom Administer Call: 91	medication/doso Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are:	for Severe Reaction below:	
Then call: If condition ACTION FOR SEVE If symptom Administer Call: 91 Call: Pa	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route 1 (Never hesitate to call 911)	for Severe Reaction below:	
Then call: If condition ACTION FOR SEVE If symptom Administer Call: 91 Call: Pa	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route 1 (Never hesitate to call 911) Internt or Guardian	for Severe Reaction below:	
Then call: If condition ACTION FOR SEVE If symptom Administer Call: 91 Call: Pa Call: Do	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route 1 (Never hesitate to call 911) Internt or Guardian	for Severe Reaction below: IMMEDIATELY	
Then call: If condition ACTION FOR SEVE If symptom Administer Call: 91 Call: Pa Call: Do	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route In (Never hesitate to call 911) Internt or Guardian Internet or Guardian	for Severe Reaction below: IMMEDIATELY	
Then call: For the call: For t	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route 1 (Never hesitate to call 911) Irrent or Guardian Incording phone: phone: phone:	for Severe Reaction below: IMMEDIATELYcell phone:cell phone:	
Then call: If condition ACTION FOR SEVE If symptom Administer Call: 91 Call: Pa Call: Do Parent/guardian Parent/guardian Doctor	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route 1 (Never hesitate to call 911) Irrent or Guardian Incoctor phone: phone: phone:	cell phone:phone #	
Then call: If condition ACTION FOR SEVE If symptom Administer Call: 91 Call: Pa Call: Do Parent/guardian Poctor Parent/guardian sign	medication/dose Parent/Guardian and Doctor In does not improve within 10 minutes, follow steps ERE REACTION In(s) are: Medication/dose/route 1 (Never hesitate to call 911) Irrent or Guardian Incording phone: phone: phone:	cell phone:phone #	